

Recombinant Human CD9

Datasheet

Catalog Number: PR27299 Product Type: Recombinant Protein

Source: E. Coli

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSHKDEVI KEVQEFYKDT YNKLKTKDEP QRETLKAIHY

ALNCCGLAGG VEQFISDICP KKDVLETFTV KSCPDAIKEV FDNKFHI.

Description/Molecular CD9 which is found on the surface of exosomes is a cell surface glycoprotein which is interacts with

Mass: with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface of exosomes is a cell surface glycoprotein which is integrated with the surface glycoprotein which is integrated

aggregation and also regulates paranodal junction formation. CD9 takes part in cell adhesion and migration and also promotes muscle cell fusion. CD9 is necessary for the egg-sperm fusion during

mammalian fertilization.

CD9 Human Recombinant produced in E. coli is a single polypeptide chain containing 107 amino

acids (112-195) and having a molecular mass of 12kDa.

CD9 is fused to a 23 amino acid His-tag at N-terminus & purified by proprietary chromatographic

techniques.

Purity: Greater than 85.0% as determined by:

(a) Analysis by SDS-PAGE.

Format: The CD9 solution (0.25mg/1ml) contains Phosphate buffer saline (pH 7.4), 20% glycerol and 1mM

DTT

Storage: Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of

time. For long term storage, it is recommended to add a carrier protein (0.1% HSA or BSA).

Avoid multiple freeze-thaw cycles.

FOR RESEARCH USE ONLY

NEUROMICS' REAGENTS ARE FOR IN VITRO AND CERTAIN NON-HUMAN IN VIVO EXPERIMENTAL USE ONLY AND NOT INTENDED FOR USE IN ANY HUMAN CLINICAL INVESTIGATION, DIAGNOSIS, PROGNOSIS, OR TREATMENT. THE ABOVE ANALYSES ARE MERELY TYPICAL GUIDES. THEY ARE NOT TO BE CONSTRUED AS BEING SPECIFICATIONS, ALL OF THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. HOWEVER, SINCE THE CONDITIONS OF USE ARE BEYOND OUR CONTROL, ALL RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, EXPRESS OR IMPLIED, ON OUR PART. WE DISCLAIM ALL LIABILITY IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED HEREIN OR OTHERWISE, AND ALL SUCH RSKS ARE ASSUMED BY THE USER. WE FURTHER EXPRESSLY DISCLAIM ALL WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

03/08v1